

SAFETY DATA SHEET

GluDown® WeatherGrip Adhesive

SECTION 1 — Identification

Product Name: GluDown® WeatherGrip Adhesive	
Revision Date: January 30, 2026	Version: 1.2
Supersedes: September 30, 2025	
Part Number: GD6120	
Company Information: GluDown, Inc. 1501 10th Street, Suite 150 Plano, TX 75074	
Information Phone: 214-504-2503	
Emergency Phone: Chemtrec 800-424-9300 / INTERNATIONAL 1-703-527-3887	
Product/Recommended Uses: Adhesive Sealant	
Restriction on Use: Not to be used for any purpose other than the one the product was designed for.	

SECTION 2 — Hazard Identification

2.1. Classification of the Substance or Mixture

GHS US Classification

Hazard Classification	H-Code	Hazard Statement
Skin sensitization, Category 1	H317	May cause an allergic skin reaction.
Reproductive toxicity, Category 1B	H360	May damage fertility or the unborn child.

Full text of H-statements: see Section 16.

2.2. Label Elements

GHS US Labeling

Hazard pictograms (GHS US)	
Signal word (GHS US)	DANGER
Hazard statements (GHS US)	H317 – May cause an allergic skin reaction H360 – May damage fertility or the unborn child
Precautionary statements (GHS US)	P201 – Obtain special instructions before use. P202 – Do not handle until all safety precautions have been read and understood. P261 – Avoid breathing dust, fume, gas, mist, vapors, spray. P272 – Contaminated work clothing must not be allowed out of the workplace. P280 – Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection. P302+P352 – If on skin: Wash with plenty of water. P308+P313 – If exposed or concerned: Get medical advice/attention. P321 – Specific treatment (see supplemental first aid instruction on this label). P333+P313 – If skin irritation or rash occurs: Get medical advice or attention. P362+P364 – Take off contaminated clothing and wash it before reuse. P405 – Store locked up. P501 – Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Hazards Associated with Known or Reasonably Anticipated Uses

No additional information available.

2.4. Hazards Not Otherwise Classified

No additional information available.

2.5. Unknown Acute Toxicity

No additional information available.

SECTION 3 — Composition / Information on Ingredients

3.1. Substances

Not applicable.

3.2. Mixtures

Name	Product Identifier	% (w/w)	GHS US Classification
Titanium oxide (TiO ₂)	CAS-No.: 13463-67-7	3 – 7*	Carc. 2, H351
Proprietary*	CAS-No.: Trade Secret	1 – 5*	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Sens. 1B, H317 Aquatic Acute 3, H402
Carbon black (colorants)	CAS-No.: 1333-86-4	0.1 – 1*	Carc. 2, H351
1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]-	CAS-No.: 1760-24-3	0.5 – 1.5*	Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 3, H335
Crystalline silica, quartz	CAS-No.: 14808-60-7	0.1 – 1*	Carc. 1A, H350 STOT RE 2, H373
Proprietary*	CAS-No.: Trade Secret	0.1 – 1*	Acute Tox. 4 (Oral), H302 Repr. 1B, H360 STOT RE 1, H372

* Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

Comments:

This product contains Titanium Dioxide, which is suspected of causing cancer when inhaled in fine particulate form. Titanium Dioxide should not be respirable in this formulation.

This product contains Carbon Black, which is suspected of causing cancer when inhaled in fine particulate form. Carbon Black should not be respirable in this formulation.

Full text of hazard classes and H-statements: see Section 16.

SECTION 4 — First Aid Measures

4.1. Description of Necessary First-Aid Measures

First-aid measures general	IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse eyes with water as a precaution.
First-aid measures after ingestion	Call a poison center/doctor/physician if you feel unwell.
Personal protection for first-aid responders	First aid workers will be equipped with suitable personal protective equipment.

4.2. Most Important Symptoms/Effects, Acute and Delayed

Symptoms/effects after inhalation	None under normal conditions.
Symptoms/effects after skin contact	May cause an allergic skin reaction.
Symptoms/effects after eye contact	None under normal conditions.
Symptoms/effects after ingestion	None under normal conditions.
Chronic symptoms	May damage fertility or the unborn child.

4.3. Indication of Immediate Medical Attention and Special Treatment Needed

Other medical advice or treatment	Treat symptomatically.
--	------------------------

SECTION 5 — Fire-Fighting Measures

5.1. Suitable (and Unsuitable) Extinguishing Media

Suitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	Do not use a heavy water stream.

5.2. Specific Hazards Arising from the Chemical

Fire hazard	No fire hazard.
Explosion hazard	No direct explosion hazard.
Hazardous decomposition products in case of fire	Toxic fumes may be released.

5.3. Special Protective Equipment and Precautions for Fire-Fighters

Firefighting instructions	Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 — Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General measures	Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
-------------------------	---

For Non-Emergency Personnel

Protective equipment	Wear recommended personal protective equipment.
Emergency procedures	Only qualified personnel equipped with suitable protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapors/spray.

For Emergency Responders

Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to Section 8: "Exposure controls/personal protection".
Emergency procedures	Evacuate unnecessary personnel. Stop leak if safe to do so.
Environmental precautions	Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.2. Methods and Materials for Containment and Cleaning Up

For containment	Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	Dispose of materials or solid residues at an authorized site. For further information refer to Section 13.

SECTION 7 — Handling and Storage

7.1. Precautions for Safe Handling

Precautions for safe handling	Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures	Separate working clothes from town clothes. Launder separately. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
Additional hazards when processed	Not expected to present a significant hazard under anticipated conditions of normal use.

7.2. Conditions for Safe Storage, Including Incompatibilities

Technical measures	Keep in a cool, well-ventilated place away from heat.
Storage conditions	Store locked up.
Packaging materials	Always store product in container of same material as original container.

SECTION 8 — Exposure Controls / Personal Protection

8.1. Control Parameters

Crystalline Silica, Quartz (CAS 14808-60-7)

Regulatory authority	USA – OSHA – Occupational Exposure Limits
Local name	Quartz (Total Dust) (Silica: Crystalline) (*Not a respirable hazard as contained in this liquid mixture)
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA) use formula: $(30 \text{ mg/m}^3 / (\% \text{SiO}_2 + 2))$ for mg/m^3 . CAS No. source: eCFR Table Z-1.
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts

Titanium Oxide / TiO₂ (CAS 13463-67-7)

Regulatory authority	USA – ACGIH – Occupational Exposure Limits
Local name	Titanium dioxide (*not respirable as contained in this liquid mixture)
ACGIH® TLV® TWA	0.2 mg/m ³ (Respirable fraction) / 2.5 mg/m ³ (Respirable fraction)
Remark (ACGIH®)	TLV® Basis: LRT irr; pneumoconiosis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2025
Regulatory authority (OSHA)	USA – OSHA – Occupational Exposure Limits
Local name (OSHA)	Titanium dioxide (*not respirable as contained in this liquid mixture)

Carbon Black (CAS 1333-86-4)

Proprietary Component

Regulatory authority	USA – ACGIH – Occupational Exposure Limits
ACGIH® TLV® TWA	0.1 mg/m ³
ACGIH® TLV® STEL	0.2 mg/m ³

8.2. Appropriate Engineering Controls

Appropriate engineering controls	Ensure good ventilation of the work station.
Environmental exposure controls	Avoid release to the environment.

8.3. Individual Protection Measures / Personal Protective Equipment

Personal protective equipment	Wear recommended personal protective equipment.
Hand protection	Protective gloves
Eye protection	Safety glasses
Skin and body protection	Wear suitable protective clothing
Respiratory protection	[In case of inadequate ventilation] wear respiratory protection.

SECTION 9 — Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Physical state	Liquid
Color	Gray
Odor	May vary. Mixture contains components with the following possible odors: mild, odourless, tallow, characteristic, fruity, amine-like, pleasant, alcohol, or irritating/pungent odour. There may be no odor warning properties; odor is subjective and inadequate to warn of overexposure.
Odor threshold	No data available
pH	No data available
Melting point	Not applicable
Freezing point	No data available
Boiling point	No data available
Flash point	No data available
Flammability (solid, gas)	Not applicable
Vapor pressure	No data available
Relative vapor density at 20°C	No data available
Relative density	No data available
Density	13.9 – 14.7 lb/gal
Solubility	No data available
Partition coefficient n-octanol/water (Log Pow)	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity, kinematic	No data available
Explosion limits	No data available
Particle characteristics	No data available

9.2. Data Relevant with Regard to Physical Hazard Classes (Supplemental)

No additional information available.

SECTION 10 — Stability and Reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical Stability

Stable under normal conditions.

10.3. Possibility of Hazardous Reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to Avoid

None under recommended storage and handling conditions (see Section 7).

10.5. Incompatible Materials

No additional information available.

10.6. Hazardous Decomposition Products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 — Toxicological Information

11.1. Information on Toxicological Effects

Mixture Acute Toxicity

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	May damage fertility or the unborn child.
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified
Chronic symptoms	May damage fertility or the unborn child.

Titanium Oxide / TiO₂ (CAS 13463-67-7) – Toxicity Data

Parameter	Value / Notes
LD50 oral rat	> 2000 mg/kg body weight (OECD 401, Rat, 14 days)
LD50 oral	5000 mg/kg
LC50 Inhalation – Rat	5.09 mg/l (OECD 403, 4 h, Rat, 14 days)
LC50 Inhalation – Rat (Dust/Mist)	> 6.82 mg/l (Source: ECHA)
ATE US (oral)	5000 mg/kg body weight
ATE US (vapors)	5.09 mg/l/4h
ATE US (dust, mist)	5.09 mg/l/4h
IARC group	2B – Possibly carcinogenic to humans (*Not a respirable hazard as contained in this liquid mixture)

Carbon Black (CAS 1333-86-4) – Toxicity Data

Parameter	Value / Notes
LD50 oral rat	> 8000 mg/kg (Source: ECHA)
LD50 oral	8000 mg/kg
LD50 dermal rabbit	> 8000 mg/kg (Source: ECHA)
ATE US (oral)	8000 mg/kg body weight
LOAEC (inhalation, rat, 90 days)	0.0071 mg/l air – rat, male
NOAEL (oral, rat, 90 days)	> 1000 mg/kg body weight (OECD Guideline 408)
NOAEC (inhalation, rat, 90 days)	0.0011 mg/l air – rat, male
IARC group	2B – Possibly carcinogenic to humans (*Not a respirable hazard as contained in this liquid mixture)

1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- (CAS 1760-24-3) – Toxicity Data

Parameter	Value / Notes
LD50 oral rat	2295 mg/kg body weight (EPA OPPTS 870.1100, 14 days)
LD50 dermal rabbit	> 2000 mg/kg body weight (EPA OPPTS 870.1200, 14 days)
LC50 Inhalation – Rat	1.49 – 2.44 mg/l air (EPA OPPTS 870.1300, 4 h, aerosol, 14 days)
ATE US (oral)	2295 mg/kg body weight
ATE US (vapors)	1.49 mg/l/4h
ATE US (dust, mist)	1.49 mg/l/4h
NOAEL (oral, rat, 90 days)	>= 500 mg/kg body weight (OECD Guideline 422)
NOAEL (dermal, rat/rabbit, 90 days)	>= 1545 mg/kg body weight
STOT-single exposure	May cause respiratory irritation.

Crystalline Silica, Quartz (CAS 14808-60-7) – Toxicity Data

Parameter	Value / Notes
IARC group	1 – Carcinogenic to humans (*Not a respirable hazard as contained in this liquid mixture)
NTP Status	Known Human Carcinogens
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Proprietary Component – Toxicity Data

Parameter	Value / Notes
LD50 oral rat	6899 – 7012 mg/kg body weight (OECD 401, Rat, 14 days)
LD50 oral	7120 mg/kg
LD50 dermal rabbit	3158 – 3760 mg/kg body weight (OECD 402, 24 h, Rabbit, 14 days)
LD50 dermal	3259 mg/kg
LC50 Inhalation – Rat	16.8 mg/l (OECD 403, 4 h, vapours, 14 days)
ATE US (oral)	6899 mg/kg body weight
ATE US (dermal)	3158 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	16.8 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
NOAEL (oral, rat, 90 days)	62.5 mg/kg body weight (OECD Guideline 422)
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.

Proprietary Component (Second) – Toxicity Data

Parameter	Value / Notes
LD50 oral rat	1864 mg/kg body weight (OECD 401, Rat, 14 days)
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402, 24 h, Rat, 14 days)
ATE US (oral)	1864 mg/kg body weight

Viscosity Data (Components)

Component	Viscosity, Kinematic
Crystalline silica, quartz	Not applicable (solid)
Titanium oxide (TiO ₂)	Not applicable (solid)
Carbon black	Not applicable (solid)
Proprietary	0.7 mm ² /s (20°C)
1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]-	3.1 mm ² /s (20°C, Calculated)
Proprietary (second)	No data available in the literature

SECTION 12 — Ecological Information

12.1. Ecotoxicity

Ecology – general	The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Hazardous to aquatic environment, short-term (acute)	Not classified
Hazardous to aquatic environment, long-term (chronic)	Not classified

Titanium Oxide / TiO₂ (CAS 13463-67-7)

Test	Result
LC50 – Fish [1]	> 1000 mg/l (Pisces, Fresh water, Literature study)
EC50 – Crustacea [1]	> 1000 mg/l (Invertebrata, Fresh water, Literature study)
EC50 72h – Algae [1]	> 100 mg/l (OECD 201, Pseudokirchneriella subcapitata, Fresh water)

Carbon Black (CAS 1333-86-4)

Test	Result
LC50 – Fish [1]	> 1000 mg/l (Source: NITE)
EC50 – Crustacea [1]	> 5600 mg/l (OECD 202, 24 h, Daphnia magna, Fresh water)
EC50 72h – Algae [1]	> 10000 mg/l (Desmodesmus subspicatus)
EC50 72h – Algae [2]	> 10000 mg/l
ErC50 algae	> 10000 mg/l (Source: ECHA)

Proprietary Component

Test	Result
LC50 – Fish [1]	191 mg/l (96 h, Oncorhynchus mykiss, Fresh water)
EC50 – Crustacea [1]	169 mg/l (EU Method C.2, 48 h, Daphnia magna)
EC50 72h – Algae [1]	> 957 mg/l (Desmodesmus subspicatus)
ErC50 algae	> 89 mg/l (72 h, Pseudokirchneriella subcapitata, GLP)
LOEC (chronic)	52.4 mg/l (Daphnia magna, 21 d)
NOEC (chronic)	28.1 mg/l (Daphnia magna, 21 d)
NOEC chronic algae	10 mg/l

1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- (CAS 1760-24-3)

Test	Result
LC50 – Fish [1]	597 mg/l (EU Method C.1, 96 h, Danio rerio, Fresh water, GLP)
EC50 – Crustacea [1]	81 mg/l (EU Method C.2, 48 h, Daphnia magna)
EC50 72h – Algae [1]	126 mg/l (Desmodesmus subspicatus)
EC50 72h – Algae [2]	352 mg/l (Desmodesmus subspicatus)
ErC50 algae	8.8 mg/l (OECD 201, 72 h, Selenastrum capricornutum, GLP)

Proprietary Component (Second)

Test	Result
LC50 – Fish [1]	> 2 mg/l (Source: ECHA)
EC50 – Crustacea [1]	0.004 mg/l (Source: ECHA)
EC50 72h – Algae [1]	> 2 mg/l (Source: ECHA)

12.2. Persistence and Degradability

Component	Persistence and Degradability
ASI 55 White/Grey/Bronze (mixture)	Not rapidly degradable
Crystalline silica, quartz	Biodegradability: not applicable. COD: not applicable (inorganic). ThOD: not applicable (inorganic).
Titanium oxide (TiO ₂)	Biodegradability: not applicable. COD: not applicable (inorganic). ThOD: not applicable (inorganic).
Carbon black	Biodegradability: not applicable. COD: not applicable (inorganic). ThOD: not applicable (inorganic).
Proprietary	Not readily biodegradable in water.
1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]-	Not readily biodegradable in water.
Proprietary (second)	Not readily biodegradable in water.

12.3. Bioaccumulative Potential

Component	Bioaccumulative Potential
Crystalline silica, quartz	Not bioaccumulative.
Titanium oxide (TiO ₂)	Not bioaccumulative.
Carbon black	Not bioaccumulative.
Proprietary (Log Pow 1.1, QSAR KOWWIN 20°C)	Low potential for bioaccumulation (Log Kow < 4).
1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- (Log Pow -0.3, QSAR 20°C)	Not bioaccumulative.
Proprietary (BCF 100 l/kg, Log Pow 0.29, KOWWIN)	Low potential for bioaccumulation (BCF < 500).

12.4. Mobility in Soil

Component	Surface Tension	Ecology – Soil
Crystalline silica, quartz	No data available in the literature	Low potential for mobility in soil.
Titanium oxide (TiO ₂)	No data available in the literature	Low potential for mobility in soil.
Carbon black	Not applicable (solid)	No test data on mobility available. Not toxic to plants or animals.
Proprietary (Log Koc 2.8)	No data available in the literature	Low potential for adsorption in soil.
1,2-Ethanediamine (Log Koc 3.5)	No data available in the literature	Low potential for mobility in soil.
Proprietary (Log Koc 3.942, ST 33.05 mN/m at 20°C)	33.05 mN/m (20°C, 92%, OECD 115)	Low potential for mobility in soil.

12.5. Other Adverse Effects

Ozone	Not classified
Fluorinated greenhouse gases	No

SECTION 13 — Disposal Considerations

Regional waste regulation	Disposal must be done according to official regulations.
Waste treatment methods	Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	Disposal must be done according to official regulations.
Additional information	Do not re-use empty containers.

SECTION 14 — Transport Information

In accordance with DOT / IMDG / IATA

	DOT	IMDG	IATA
14.1. UN number	Not regulated	Not regulated	Not regulated
14.2. Proper Shipping Name	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)	Not regulated	Not regulated	Not regulated
14.4. Packing group	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards	Not regulated	Not regulated	Not regulated

14.6. Transport in Bulk

Not applicable.

14.7. Special Precautions for User

DOT	Not regulated
IMDG	Not regulated
IATA	Not regulated

SECTION 15 — Regulatory Information

15.1. Federal Regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

15.2. International Regulations

Canada – DSL Listings

Component	Listing
Crystalline silica, quartz (14808-60-7)	Listed on the Canadian DSL (Domestic Substances List)
Titanium oxide (TiO ₂) (13463-67-7)	Listed on the Canadian DSL (Domestic Substances List)
Carbon black (1333-86-4)	Listed on the Canadian DSL (Domestic Substances List)
Proprietary	Listed on the Canadian DSL (Domestic Substances List)
1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- (1760-24-3)	Listed on the Canadian DSL (Domestic Substances List)
Proprietary (second)	Listed on the Canadian DSL (Domestic Substances List)

EU Regulations

No additional information available.

15.3. State Regulations

California Proposition 65

U.S. – California – Proposition 65 – Other information:

This product contains Carbon Black and Titanium Dioxide which are California Proposition 65 listed chemicals. In the case of this product, these chemicals are bound within the product matrix and present no risk of exposure.



WARNING: This product can expose you to chemicals including Carbon black (airborne, unbound particles of respirable size), which is known to the State of California to cause cancer, and Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

National Right-to-Know Regulations

Component	State or Local Regulations
Crystalline silica, quartz (14808-60-7)	U.S. – Massachusetts – Right To Know List; U.S. – New Jersey – Right to Know Hazardous Substance List; U.S. – Pennsylvania – RTK (Right to Know) List
Titanium oxide (TiO ₂) (13463-67-7)	U.S. – Massachusetts – Right To Know List; U.S. – New Jersey – Right to Know Hazardous Substance List; U.S. – Pennsylvania – RTK (Right to Know) List
Carbon black (1333-86-4)	U.S. – Massachusetts – Right To Know List; U.S. – New Jersey – Right to Know Hazardous Substance List; U.S. – Pennsylvania – RTK (Right to Know) List

National Regulatory Listings (IARC / NTP)

Component	Listings
Crystalline silica, quartz (14808-60-7)	Listed on IARC (International Agency for Research on Cancer); Listed as carcinogen on NTP (National Toxicology Program); Listed on INSQ (Mexican National Inventory of Chemical Substances)
Titanium oxide (TiO ₂) (13463-67-7)	Listed on IARC (International Agency for Research on Cancer); Listed on INSQ (Mexican National Inventory of Chemical Substances)
Carbon black (1333-86-4)	Listed on IARC (International Agency for Research on Cancer); Listed on INSQ (Mexican National Inventory of Chemical Substances)

SECTION 16 — Other Information

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Revision date	1/30/2026
Issue date	9/30/2025

Full Text of Hazard Classes and H-Statements

H-Code	Full Statement
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H332	Harmful if inhaled
H335	May cause respiratory irritation
H350	May cause cancer
H351	Suspected of causing cancer
H360	May damage fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure
H402	Harmful to aquatic life

Disclaimer: To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.